



DIN 863 T4  
(Form C1)


## Optional Accessories for TESA® IMICRO® and TESA® IMICRO® «capa μ system®»

### Extensions for Deep Hole Measurement



| No       | mm        | mm   | No       | in           | in |
|----------|-----------|------|----------|--------------|----|
| 08.40001 | 6 ÷ 12    | 100  | 08.50001 | 0.275 ÷ 0.50 | 4  |
| 08.40301 | 11 ÷ 20   | 150  | 08.50301 | 0.50 ÷ 0.80  | 6  |
| 08.40302 |           | 500  | 08.50302 |              | 20 |
| 08.41100 | 20 ÷ 40   | 150  | 08.51100 | 0.80 ÷ 1.6   | 6  |
| 08.41101 |           | 500  | 08.51101 |              | 20 |
| 08.41102 |           | 1000 | 08.51102 |              | 40 |
| 08.41800 | 40 ÷ 100  | 150  | 08.51800 | 1.6 ÷ 4.0    | 6  |
| 08.41801 |           | 500  | 08.51801 |              | 20 |
| 08.41802 |           | 1000 | 08.51802 |              | 40 |
| 08.42600 | 100 ÷ 300 | 150  | 08.52600 | 4.0 ÷ 12.0   | 6  |
| 08.42601 |           | 500  | 08.52601 |              | 20 |
| 08.42602 |           | 1000 | 08.52602 |              | 40 |

### Centring Devices for TESA® IMICRO®



| No       | mm        |
|----------|-----------|
| 08.60001 | 40 ÷ 100  |
| 08.62601 | 100 ÷ 200 |

### Moulded Cases for Single Instruments, Full Sets and Partial Sets



| No                           | 000      | mm        | in              | No                  | 000      | mm        | in              |
|------------------------------|----------|-----------|-----------------|---------------------|----------|-----------|-----------------|
| Cases for single instruments |          |           |                 | Cases for full sets |          |           |                 |
| —                            | 61.60002 | 3,5 ÷ 6,5 | 0.1377 ÷ 0.2559 | 08.63035            | 61.60006 | 3,5 ÷ 6,5 | 0.1377 ÷ 0.2559 |
| —                            | 61.60002 | 6 ÷ 12    | 0.275 ÷ 0.50    | 08.63005            | 61.60005 | 6 ÷ 12    | 0.275 ÷ 0.500   |
| 08.60007                     | 61.60002 | 11 ÷ 20   | 0.50 ÷ 0.80     | 08.60008            | 61.60005 | 11 ÷ 20   | 0.500 ÷ 0.800   |
| 08.60011                     | 61.60002 | 20 ÷ 40   | 0.80 ÷ 1.60     | 08.60012            | 61.60006 | 20 ÷ 40   | 0.800 ÷ 1.60    |
| 08.60015                     | 61.60003 | 40 ÷ 70   | 1.60 ÷ 2.80     | 08.60017            | 61.60007 | 40 ÷ 100  | 1.60 ÷ 4.0      |
| 08.60016                     | 61.60003 | 70 ÷ 100  | 2.80 ÷ 4.0      | 08.63017            | 61.60017 | 100 ÷ 200 | 4.0 ÷ 8.0       |
| 08.63013                     | 08.63013 | 100 ÷ 150 | 4.0 ÷ 6.0       |                     |          |           |                 |
| 08.63014                     | 08.63014 | 150 ÷ 200 | 6.0 ÷ 8.0       |                     |          |           |                 |
| 08.63016                     | 08.63016 | 200 ÷ 300 | 8.0 ÷ 12.0      |                     |          |           |                 |